

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Ab	AABERG-BARISHMAN ASSOCIATION								
		AABERG	70	> 72	None	Very limited	Very limited	Slow	Very high
		BARISHMAN	25	> 72	None	Very limited	Very limited	Slow	Very high
Ag	AGNESTON GRAVELLY COARSE SANDY LOAM, 5 TO 40 PERCENT SLOPES								
		AGNESTON	90	> 72	None	Very limited	Very limited	Slow	High
Ba	BADLAND								
		BADLAND	95	> 72	None	Very limited	Very limited	Very slow	Very high
Bg	BANGSTON FINE SAND, 1 TO 10 PERCENT SLOPES								
		BANGSTON	85	> 72	None	Not limited	Very limited	Rapid	Very high
Bk	BLACKWELL LOAM								
		BLACKWELL	90	12-72	Occasional	Very limited	Very limited	Moderate	Low
Bn	BLEVINTON SANDY LOAM, 8 TO 20 PERCENT SLOPES								
		BLEVINTON	95	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
Bo	BOETTCHER-BUNDYMAN ASSOCIATION								
		BOETTCHER	70	> 72	None	Very limited	Very limited	Slow	Very high
		BUNDYMAN	25	> 72	None	Somewhat limited	Very limited	Slow	High
Bs	BOSLER SANDY LOAM								
		BOSLER	90	> 72	None	Not limited	Very limited	Moderate	Low
Bw	BOWEN GRAVELLY SANDY LOAM, 15 TO 45 PERCENT SLOPES								
		BOWEN	85	> 72	None	Very limited	Very limited	Slow	High
Bx	BRINKERT-MORSET ASSOCIATION								
		BRINKERT	60	> 72	None	Somewhat limited	Very limited	Slow	Very high
		MORSET	35	> 72	None	Somewhat limited	Very limited	Moderately slow	High
By	BUFFMEYER SANDY LOAM, 4 TO 18 PERCENT SLOPES								
		BUFFMEYER	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
Ca	CABIN SANDY LOAM								
		CABIN	90	> 72	None	Not limited	Very limited	Moderate	Low
Cd	CHEDSEY LOAM, 5 TO 12 PERCENT SLOPES								
		CHEDSEY	85	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Cf	COALMONT-FLUETSCH COMPLEX								
		COALMONT	50	> 72	None	Somewhat limited	Very limited	Slow	Very high
		FLUETSCH	30	> 72	None	Somewhat limited	Very limited	Moderate	Medium
CoD	COWDREY LOAM, 4 TO 10 PERCENT SLOPES								
		COWDREY	90	> 72	None	Very limited	Very limited	Slow	Very high
CoF	COWDREY LOAM, 10 TO 50 PERCENT SLOPES								
		COWDREY	90	> 72	None	Very limited	Very limited	Slow	Very high
Cr	CRESPIN-CARLSTROM CLAYS								
		CRESPIN	55	> 72	None	Very limited	Very limited	Slow	Very high
		CARLSTROM	35	> 72	None	Very limited	Very limited	Slow	Very high
Cs	CRESPIN-CARLSTROM STONY CLAYS								
		CRESPIN	55	> 72	None	Very limited	Very limited	Slow	Very high
		CARLSTROM	35	> 72	None	Very limited	Very limited	Slow	Very high
Ct	CRYAQUENTS								
		CRYAQUENTS	95	12-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
CyF	CRYORTHENTS, STEEP								
		CRYORTHENTS	95	> 72	None	Very limited	Very limited	Slow	Very high
Do	DOBROW LOAM								
		DOBROW	90	12-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
Du	DUNE LAND								
		DUNE LAND	95	> 72	None	Very limited	Very limited	Rapid	Low
Ea	EACHUSTON GRAVELLY LOAM								
		EACHUSTON	90	3-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
EhE	ETHELMAN SANDY LOAM, 0 TO 25 PERCENT SLOPES								
		ETHELMAN	90	> 72	None	Somewhat limited	Very limited	Moderate	Low
Fe	FLEER LOAM								
		FLEER	90	3-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
Fh	FLUETSCH-TIAGOS ASSOCIATION								
		FLUETSCH	45	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		TIAGOS	45	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Fo	FORELLE LOAM								
		FORELLE	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
GeD	GELKIE SANDY LOAM, 2 TO 15 PERCENT SLOPES								
		GELKIE	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
GKE	GELKIE SANDY LOAM, MODERATELY DEEP VARIANT, 0 TO 25 PERCENT SLOPES								
		GELKIE VARIANT	90	> 72	None	Very limited	Very limited	Slow	High
Gn	GIRARDOT SILTY CLAY LOAM								
		GIRARDOT	95	3-72	Occasional	Very limited	Very limited	Moderately slow	Medium
GoE	GOTHIC LOAM, 0 TO 20 PERCENT SLOPES								
		GOTHIC	90	> 72	None	Somewhat limited	Very limited	Slow	Very high
Gr	GRAFEN-ROCK OUTCROP COMPLEX								
		GRAFEN	50	> 72	None	Very limited	Very limited	Moderate	Medium
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
Gs	GRIMSTONE-SIEBERT ASSOCIATION								
		GRIMSTONE	65	> 72	None	Very limited	Very limited	Very slow	High
		SIEBERT	30	> 72	None	Very limited	Very limited	Very slow	High
HaF	HANDRAN EXTREMELY STONY SANDY LOAM, 20 TO 40 PERCENT SLOPES								
		HANDRAN	90	> 72	None	Very limited	Very limited	Moderately rapid	Medium
KaE	KATHER CLAY LOAM, 5 TO 20 PERCENT SLOPES								
		KATHER	90	> 72	None	Very limited	Very limited	Slow	Very high
LaE	LARAND FINE SANDY LOAM, 3 TO 25 PERCENT SLOPES								
		LARAND	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
LaF	LARAND FINE SANDY LOAM, 25 TO 40 PERCENT SLOPES								
		LARAND	90	> 72	None	Very limited	Very limited	Moderate	High
Le	LEAVITT LOAM								
		LEAVITT	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
LuE	LULUDE COBBLY LOAM, 10 TO 25 PERCENT SLOPES								
		LULUDE	90	> 72	None	Very limited	Very limited	Slow	High
LyD	LYMANSON COBBLY LOAM, 4 TO 10 PERCENT SLOPES								
		LYMANSON	90	> 72	None	Somewhat limited	Very limited	Moderately slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Ma	MACFARLANE-ROCK OUTCROP ASSOCIATION								
		MACFARLANE	60	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		ROCK OUTCROP	20	> 72	None	Very limited	Very limited	Very slow	Very high
MbF	MANBURN GRAVELLY COARSE SANDY LOAM, 10 TO 40 PERCENT SLOPES								
		MANBURN	90	> 72	None	Very limited	Very limited	Moderate	High
Me	MENDENHALL LOAM								
		MENDENHALL	90	3-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
Mn	MINE PITS AND DUMPS								
		MINE PITS AND DUMPS	95	> 72	None	Very limited	Very limited	Very slow	Very high
Mo	MIRROR-ROCK OUTCROP COMPLEX								
		MIRROR	60	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
MrD	MORD LOAM, 4 TO 15 PERCENT SLOPES								
		MORD	90	> 72	None	Somewhat limited	Very limited	Slow	Very high
MsD	MORSET LOAM, 1 TO 15 PERCENT SLOPES								
		MORSET	85	> 72	None	Not limited	Very limited	Moderately slow	High
MuE	MUGGINS LOAM, 5 TO 30 PERCENT SLOPES								
		MUGGINS	90	> 72	None	Very limited	Very limited	Slow	High
NoE	NOKHU LOAM, 0 TO 25 PERCENT SLOPES								
		NOKHU	90	> 72	None	Somewhat limited	Very limited	Moderately slow	High
NoF	NOKHU LOAM, 25 TO 50 PERCENT SLOPES								
		NOKHU	90	> 72	None	Very limited	Very limited	Moderately slow	Very high
Nr	NORRISTON GRAVELLY SANDY LOAM								
		NORRISTON	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
Oc	OWEN CREEK SANDY LOAM								
		OWEN CREEK	90	> 72	None	Very limited	Very limited	Slow	High
On	OWEN CREEK-NORRISTON ASSOCIATION								
		OWEN CREEK	55	> 72	None	Very limited	Very limited	Slow	Very high
		NORRISTON	20	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
PaF	PARKVIEW VERY STONY LOAM, 20 TO 35 PERCENT SLOPES								
		PARKVIEW	90	> 72	None	Very limited	Very limited	Slow	High
PeE	PEELER SANDY LOAM, 5 TO 25 PERCENT SLOPES								
		PEELER	90	> 72	None	Very limited	Very limited	Moderate	Medium
PeF	PEELER SANDY LOAM, 25 TO 40 PERCENT SLOPES								
		PEELER	90	> 72	None	Very limited	Very limited	Moderate	High
Ph	PERCETON-HYANNIS ASSOCIATION								
		PERCETON	60	> 72	None	Very limited	Very limited	Moderately slow	Medium
		HYANNIS	30	> 72	None	Very limited	Very limited	Moderate	Low
Pr	PINKHAM-ROCK OUTCROP ASSOCIATION								
		PINKHAM	55	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
Ra	RANDMAN SANDY LOAM								
		RANDMAN	90	3-72	Rare	Very limited	Very limited	Moderate	Low
RhD	RAWAH LOAM, 3 TO 10 PERCENT SLOPES								
		RAWAH	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
Rk	ROCK LAND								
		ROCK LAND	100	> 72	None	Very limited	Very limited	Very slow	Very high
Ro	ROCK OUTCROP								
		ROCK OUTCROP	100	> 72	None	Very limited	Very limited	Very slow	Very high
RtE	ROBERT GRAVELLY SANDY LOAM, 10 TO 25 PERCENT SLOPES								
		ROBERT	90	> 72	None	Very limited	Very limited	Slow	Very high
Sp	SPICERTON SANDY LOAM								
		SPICERTON	85	> 72	None	Very limited	Very limited	Slow	High
St	STUMPP CLAY LOAM								
		STUMPP	90	30-72	Occasional	Very limited	Very limited	Slow	High
SuE	SUDDUTH LOAM, 5 TO 15 PERCENT SLOPES								
		SUDDUTH	85	> 72	None	Very limited	Very limited	Slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Te	TEALSON-ROCK LAND ASSOCIATION								
		TEALSON	55	> 72	None	Very limited	Very limited	Moderately slow	High
		ROCK LAND	20	> 72	None	Very limited	Very limited	Very slow	Very high
Tn	TINE SANDY LOAM								
		TINE	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
ToF	TROUTVILLE SANDY LOAM, 15 TO 45 PERCENT SLOPES								
		TROUTVILLE	85	> 72	None	Very limited	Very limited	Moderately rapid	Medium
Tv	TROUTVILLE-NEWCOMB ASSOCIATION								
		TROUTVILLE	60	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
		NEWCOMB	35	> 72	None	Somewhat limited	Very limited	Moderate	Medium
W	WATER								
		WATER	95	> 72	Not Rated	Very limited	Very limited	Very slow	High
Wa	WALDEN SANDY LOAM								
		WALDEN	90	6-72	Frequent	Very limited	Very limited	Moderate	Low
Wc	WICHUP LOAM								
		WICHUP	90	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
YoF	YOCHUM GRAVELLY SANDY LOAM, 35 TO 65 PERCENT SLOPES								
		YOCHUM	90	> 72	None	Very limited	Very limited	Moderate	Medium